




2023 ASSET MANAGEMENT REPORT CARD

Sanitary collection

Total asset replacement value	\$526 million
Current condition	GOOD 
Projected condition in 25 years	FAIR
Annual funding needed to meet target performance	\$6.0 million
Annual average funding	\$3.0 million
Annual funding gap	\$3.0 million
Funding source	Sanitary user fees
Data maturity level	High




Annual funding needed: \$6.0 million



Assets include 421 km of sanitary pipe and six sewage pump stations.

Annual performance of sanitary assets



CURRENT STRATEGY

The City’s sanitary collection assets are the sewers and pumping stations that carry wastewater away from our homes and businesses. The City of Waterloo is required to have sufficient maintenance and rehabilitation funding for this system in order to meet provincial regulations. The sanitary collection network is a user fee funded asset.

Sanitary sewers can either be rehabilitated or replaced. In Waterloo, we replace sanitary sewers that are in poor or very poor condition when other work is being done on watermains or stormwater sewers during road reconstruction. Sometimes it is possible to rehabilitate sewers, using trenchless technology without disturbing anything else, if the road and other pipes are still in good shape. The estimated service life for sanitary sewers ranges between 45 and 85 years depending on the material type (e.g. clay, PVC). Sewage pumping stations are rehabilitated on an as-needed basis, replacing or refurbishing the individual components in each facility as they reach the end of their useful life. Each component has an industry-accepted estimated service life that is combined with observations about the condition of each component during site investigations.



Sanitary assets
with a poor
or very poor
performance

ASSET PERFORMANCE

Sanitary collection asset performance is evaluated using historical knowledge, age and observed conditions. The quality and availability of our asset data (data maturity) are continuously evolving. The current data maturity level for sanitary collection assets is assessed to be high. The City is continuously working to improve asset data quality.

Over the 25 year timeline, we anticipate the percentage of our sanitary collection network with a poor or very poor performance profile to increase from approximately 10% in 2023 to 54% by 2047. Based on the best available sanitary collection asset data, deterioration rates and 2023-2032 capital funding, we estimate that sanitary collection assets have an annual infrastructure funding gap of \$3.0 million.

LEVELS OF SERVICE

The following tables show the levels of service established by the City for sanitary collection assets. These metrics include the technical and community level of service required as part of the Ontario Regulation 588/17. Service metrics are reported for the prior year ending on December 31

COMMUNITY LEVELS OF SERVICE

The following table outlines the qualitative descriptions that determine the community levels of service for sanitary collection assets.

SERVICE ATTRIBUTE	QUALITATIVE DESCRIPTION	2021
Scope	Description, which may include maps, of the user groups or areas of the city that are connected to the municipal wastewater system.	The City of Waterloo is largely built out to the municipal boundary, and provides wastewater collection to most properties within the urban areas, a small portion of the rural areas are serviced by private septic systems.
Reliability	Description of how stormwater can get into sanitary sewers in the municipal wastewater system, causing sewage to overflow into streets or homes.	Stormwater may enter the sanitary sewer through multiple sources. Groundwater may enter sanitary sewers through defective pipe joints, or broken pipe in areas where the ground water table is at a high elevation. Alternately stormwater may enter sanitary sewers through inappropriate connections such as sump pumps, or roof drains. All of the aforementioned sources could lead to an increased flow to the wastewater treatment plant.
Reliability	Description of how sanitary sewers in the municipal wastewater system are designed to be resilient to avoid events described above.	The City of Waterloo has a dual system for stormwater and sanitary waste to prevent stormwater entering the wastewater system. The City of Waterloo has eight flow monitors and two rain gauges to monitor the status of the system in order to address issues Inflow and Infiltrations issues as they arise. The City of Waterloo has a CCTV program for wastewater sewer to monitor sanitary sewer internal structure condition and operational performance to identify pipe deficiencies.

TECHNICAL LEVELS OF SERVICE

The following table outlines the quantitative metrics that determine the technical level of service for sanitary collection assets.

SERVICE ATTRIBUTE	QUANTITATIVE METRICS	2021	2022
Scope	Properties connected to the municipal wastewater system (per cent)	98.81%	98.67%
Reliability	Number of connection days per year due to wastewater backups compared to the total number of properties connected to the system (per cent)	0.00%	0.00%
Reliability	Number of effluent violations per year due to wastewater discharge compared to the total number of properties connected to the municipal wastewater system (per cent)	0.00%	0.00%
Environmental Stewardship	Annual greenhouse gas emissions (GHG), tonnes of carbon dioxide equivalent (tonnes CO ₂ e, tCO ₂ e)	11.45 tCO ₂ e	20.61 tCO ₂ e

The information presented here is based on the best currently available data regarding asset inventory, performance, and degradation curves, along with funding included in 2023 approved capital budget and 2024-2032 capital forecast.